
Stainless Steel Centrifugal Pump


Model CDX-2CDX




Performance Curves



EBARA Pumps Americas Corporation




Model CDX 70/076	Imp. Dia. 4.53 (in.)
Model CDX70/106	Imp. Dia. 5.20 (in.)
Model CDX70/156	Imp. Dia. 6.18 (in.)



Rotation speed $\approx 3450 \text{ min}^{-1}$
 Test standard: ISO 9906 – Annex A




Model CDX 120/106	PEI _{CL} 0.93	Imp. Dia. 4.53 (in.)
Model CDX 120/156	PEI _{CL} 0.99	Imp. Dia. 5.20 (in.)
Model CDX 120/206	PEI _{CL} 0.97	Imp. Dia. 6.18 (in.)



Rotation speed $\approx 3450 \text{ min}^{-1}$
 Test standard: ISO 9906 – Annex A



Model CDX 200/156	PEI _{CL} 0.99	Imp. Dia. 4.53 (in.)
Model CDX 200/206	PEI _{CL} 0.96	Imp. Dia. 5.20 (in.)
Model CDX 200/306	PEI _{CL} 0.94	Imp. Dia. 5.67 (in.)




Rotation speed ≈ 3450 min⁻¹
 Test standard: ISO 9906 – Annex A



Selection Chart

60Hz, Synchronous Speed 3600 RPM




Performance Curves

2CDX 70/206-2 HP

Nominal Speed: 3600 RPM


Size: 1 x 1 1/4 x 5 3/16 x 5 3/16



2CDX 70/306-3 HP

Nominal Speed: 3600 RPM

Size: 1 x 1 1/4 x 5 3/16 x 6




Performance Curves

2CDX 120/306-3 HP

Nominal Speed: 3600 RPM

Size: 1 x 1 ¼ x 5 ¾ x 5 ¾



2CDX 200/506-5 HP

Nominal Speed: 3600 RPM

Size: 1 x 1 ½ x 5 ¾ x 6 ¾

